



Revision Date: 02/14/2005

Issue date: 02/14/2005

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

<b>Product name:</b> EA 9380 PART A QUART	<b>Kit Number:</b> AS9348000
<b>Product type:</b> Adhesive for the Aerospace Industry	<b>Item No. :</b> AA9348016 / IDH No. 937234
<b>Company address:</b> Henkel Corporation 1001 Trout Brook Crossing Rocky Hill, Connecticut 06067	<b>Region:</b> United States
	<b>Contact Information:</b> Telephone: (860) 571-5100 Emergency telephone: (860) 571-5100 Internet: www.loctite.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Oxiranemethanamine N,N'-(methylenedi-4,1-phenylene)bis(N-oxiranylmethyl) 28768-32-3	30-60	None	None	None
Acrylated epoxy resin UNKNOWN	10-30	None	None	None
Epichlorohydrin-4,4'-isopropylidene diphenol resin 25068-38-6	30-60	None	None	None
Treated fumed silica 67762-90-7	1-5	10mg/m <sup>3</sup> Inhalable fraction, 3mg/m <sup>3</sup> Respirable fraction, TWA	5mg/m <sup>3</sup> Respirable dust, 15mg/m <sup>3</sup> Total dust	None
Carbon black 1333-86-4	0.1-1	3.5 mg/m <sup>3</sup> TWA	3.5 mg/m <sup>3</sup> TWA	None

### 3. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**Physical state:** Liquid/paste  
**Color:** Black  
**Odor:** Mild

**HMIS:**

**HEALTH:** 2  
**FLAMMABILITY:** 1  
**PHYSICAL HAZARD:** 1  
**Personal Protection:** See Section 8

**WARNING:** CAUSES EYE IRRITATION.  
MAY CAUSE ALLERGIC SKIN REACTION.  
MAY CAUSE SKIN IRRITATION.

**Relevant routes of exposure:** Skin, Eyes, Inhalation

**Potential Health Effects**

**Inhalation:** May cause irritation to nose and throat.  
**Skin contact:** Brief contact with the uncured adhesive may irritate the skin or cause a rash. Repeated or prolonged skin contact may result in allergic sensitization.  
**Eye contact:** Contact with eyes will cause irritation.  
**Ingestion:** Not a relevant route of exposure.

**Existing conditions aggravated by exposure:** Eye, skin, and respiratory disorders.

See Section 11 for additional toxicological information.

## 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If symptoms develop and persist, get medical attention.
<b>Skin contact:</b>	Remove contaminated clothing and shoes. Wash with soap and water. If a person feels unwell or symptoms of skin irritation appear, consult a physician.
<b>Eye contact:</b>	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<b>Ingestion:</b>	Do not induce vomiting. Drink water as a precaution. Obtain medical attention.
<b>Notes to physician:</b>	Treat symptomatically and supportively.

## 5. FIRE-FIGHTING MEASURES

<b>Flash point:</b>	Greater than 93°C (200°F) (estimated)
<b>Autoignition temperature:</b>	Not determined
<b>Flammable/Explosive limits-lower %:</b>	Not determined
<b>Flammable/Explosive limits-upper %:</b>	Not determined
<b>Extinguishing media:</b>	Water spray (fog), foam, dry chemical or carbon dioxide.
<b>Special fire fighting procedures:</b>	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Cartridge respirators do not provide adequate protection for fire fighters or exotherm mitigation.
<b>Unusual fire or explosion hazards:</b>	May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic gasses.
<b>Hazardous combustion products:</b>	Oxides of carbon. Oxides of nitrogen. Hydrocarbons.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental precautions:</b>	Prevent further leakage or spillage if safe to do so. Contain spill. Do not let product enter drains. Do not flush into surface water.
<b>Clean-up methods:</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up as much material as possible. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. For the Part A plus Part B adhesive mixture, follow curing schedule as recommended in product literature. Do not heat Part A at temperatures greater than 80 °C (176 °F). This material may self-react at higher temperatures and cause an exotherm. The exotherm has the potential for release of excessive energy and toxic gasses. Empty containers retain product residue, so obey hazard warnings and handle empty containers as if they were full.
<b>Storage:</b>	Keep in a cool, well ventilated area. Keep container closed.
<b>Incompatible products:</b>	Keep away from strong oxidizing agents, strong Lewis or mineral acids.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering controls:</b>	Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.
<b>Respiratory protection:</b>	Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respiratory use (29 CFR 1910.134).
<b>Skin protection:</b>	Use impermeable gloves and protective clothing as necessary to prevent skin contact.

Eye/face protection: Safety glasses Goggles.

See Section 2 for exposure limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid/paste  
Color: Black  
Odor: Mild  
Vapor pressure: Nil  
pH: Neutral  
Boiling point/range: Not determined  
Melting point/range: Not determined  
Specific gravity: 0.98  
Vapor density: Greater than 1  
Evaporation rate: Not determined  
Solubility in water: Negligible  
Partition coefficient (n-octanol/water): Not determined  
VOC content: Not available

## 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.  
Hazardous polymerization: May occur.  
Hazardous decomposition products: Oxides of nitrogen. Oxides of carbon. Hydrocarbons  
Incompatibility: Strong acids and oxidizing agents Amines.  
Conditions to avoid: To avoid thermal decomposition, do not overheat.

## 11. TOXICOLOGICAL INFORMATION

Product toxicity data: Loctite is not aware of any toxicity data on the specific mixture of chemical components contained in this product.

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Oxiranemethanamine N,N' - (methylenedi-4,1-phenylene)bis(N- (oxiranylmethyl) 28768-32-3	No	No	No
Acrylated epoxy resin UNKNOWN	No	No	No
Epichlorohydrin-4,4'-isopropylidene diphenol resin 25068-38-6	No	No	No
Treated fumed silica 67762-90-7	No	No	No
Carbon black 1333-86-4	No	Group 2B	Yes

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Oxiranemethanamine N,N' - (methylenedi-4,1-phenylene)bis(N-(oxiranylmethyl) 28768-32-3	Allergen, Blood, Central nervous system, Gastrointestinal, Irritant, Kidney, Liver, Nervous System
Acrylated epoxy resin UNKNOWN	No data
Epichlorohydrin-4,4'-isopropylidene diphenol resin 25068-38-6	Allergen, Irritant
Treated fumed silica 67762-90-7	No Target Organs
Carbon black 1333-86-4	Respiratory, Some evidence of carcinogenicity

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available

## 13. DISPOSAL CONSIDERATIONS

**Information provided is for unused product only.**

**Recommended method of disposal:** Legal disposition of wastes is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

**EPA hazardous waste number:** Not a RCRA hazardous waste.

## 14. TRANSPORT INFORMATION

**U.S. Postal System:** This material is allowed to be sent through the U.S. Postal system.

**U.S. Department of Transportation Ground (49 CFR):**

**Proper shipping name:** Not restricted  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA):**

**Proper shipping name:** Not restricted  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**WaterTransportation (IMO/IMDG):**

**Proper shipping name:** Not restricted  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None  
**Marine pollutant:** Not applicable

## 15. REGULATORY INFORMATION

### United States Regulatory Information

<b>TSCA 8 (b) Inventory Status:</b>	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
<b>TSCA 12 (b) Export Notification:</b>	None.
<b>CERCLA/SARA Section 302 EHS:</b>	None.
<b>CERCLA/SARA Section 311/312:</b>	Immediate Health Hazard, Delayed Health Hazard
<b>CERCLA/SARA 313:</b>	None.
<b>California Proposition 65:</b>	This product contains a chemical known to the State of California to cause cancer.

### Canada Regulatory Information

<b>CEPA DSL/NDSL Status:</b>	All components are listed on or are exempt from listing on the Domestic Substances List.
<b>WHMIS hazard class:</b>	D.2.B

## 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 1,16

Prepared by: Regulatory Affairs

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.